Contents of Volume 191, No. 1

Peptide and Protein Structure

Purification and characterization of a γ-melanotropin precursor from frozen human pituitary glands	F. E. Estivariz, J. Hope, C. McLean & P. J. Lowry	125–132
Purification of the human complement control protein C3b inactivator	L. G. Crossley & R. R. Porter	173–182
The action of pepsin on porcine immunoglobulin M and its effect on biological activity	D. Beale & J. K. Fazakerley	183–191
Affinity-chromatographic purification of human α_2-antiplasmin	B. Wiman	229–232
Further studies on histamine release from rat mast cells *in vitro* induced by peptides. Characteristics of a synthetic intermediate with potent releasing activity	P. D. Roy, D. M. Moran, V. Bryant, R. Stevenson & D. R. Stanworth	233–237
Purification and partial characterization of high-molecular-weight forms of ectopic calcitonin from a human bronchial carcinoma cell line	J. Lumsden, J. Ham & M. L. Ellison	239–246
Separation of collagen cyanogen bromide-derived peptides by reversed-phase high-performance liquid chromatography	M. Van der Rest, H. P. J. Bennett, S. Solomon & F. H. Glorieux	253–256
A novel and comprehensive synthetic approach for the elucidation of protein antigenic stuctures. Determination of the full antigenic profile of the α-chain of human haemoglobin	A. L. Kazim & M. Z. Atassi	261–264
Ready separation of proteins from nucleoprotein complexes by reversible modification of lysine residues	J. K. Shetty & J. E. Kinsella	269–272
Ligand-binding properties of proalbumin Christchurch	R. G. Reed, T. Peters, Jr., S. O. Brennan & R. W. Carrell	281–283

Enzymes and Enzyme Kinetics

Interrelationship between anionic and cationic forms of glutathione *S*-transferases of human liver	Y. C. Awasthi, D. D. Dao & R. P. Saneto	1–10
Interrelationship between cationic and anionic forms of glutathione *S*-transferases of bovine ocular lens	R. P. Saneto, Y. C. Awasthi & S. K. Srivastava	11–20
Purification, properties and synthesis of δ-aminolaevulinate dehydratase from *Neurospora crassa*	S. R. Chandrika & G. Padmanaban	29–36
cis,cis-Muconate cyclase from *Trichosporon cutaneum*	A. Gaal & H. Y. Neujahr	37–43
The use of various immobilized-triazine affinity dyes for the purification of 6-phosphogluconate dehydrogenase from *Bacillus stearothermophilus*	F. Qadri & P. D. G. Dean	53–62
Spectrophotometric assay, solubilization and purification of brain 2′ : 3′-cyclic nucleotide 3′-phosphodiesterase	Y. Nishizawa, T. Kurihara & Y. Takahashi	71–82
Purification and properties of the cellulases from the thermophilic fungus *Thermoascus aurantiacus*	C. C. Tong, A. L. Cole & M. G. Shepherd	83–94
Production of a variant of β-lactamase II with selectively decreased cephalosporinase activity by a mutant of *Bacillus cereus* 569/H/9	G. S. Baldwin, G. F. StL. Edwards, P. A. Kiener, M. J. Tully, S. G. Waley & E. P. Abraham	111–116
Partial purification and characterization of human erythrocyte phosphoglycollate phosphatase	R. Zecher & H. U. Wolf	117–124
Studies on the *meta* and *para* *O*-sulphation of the catechol compound 3,4-dihydroxybenzoic acid by rat liver sulphotransferase *in vitro*	E. J. M. Pennings & G. M. J. Van Kempen	133–138
Properties of a terminal deoxyribonucleotidyl-transferase isolated from wheat germ	T. Brodniewicz-Proba & J. Buchowicz	139–145

Purification of 2-oxo acid dehydrogenase multienzyme complexes from ox heart by a new method	C. J. Stanley & R. N. Perham	147–154
Immunochemical comparison of UDP-glucuronyltransferase from Gunn- and Wistar-rat livers	P. J. Weatherill, S. M. E. Kennedy & B. Burchell	155–163
Interaction of pseudomonic acid A with *Escherichia coli* B isoleucyl-tRNA synthetase	J. Hughes & G. Mellows	209–219
Triazine dyes, a new class of affinity labels for nucleotide-dependent enzymes	Y. D. Clonis & C. R. Lowe	247–251
The nature of the sulphur atom liberated from xanthine oxidase by cyanide. Evidence from e.p.r. spectroscopy after ^{33}S substitution	J. P. G. Malthouse & R. C. Bray	265–267
Identification of the polypeptides of NADPH–protochlorophyllide oxidoreductase	R. P. Oliver & W. T. Griffiths	277–280
The nature of the phosphate inhibitor complex of sulphite oxidase from electron-paramagnetic-resonance studies using oxygen-17	S. Gutteridge, M. T. Lamy & R. C. Bray	285–288
Nucleotides, Nucleic Acids and Nucleoproteins		
Purification and characterization of chromatin-bound DNA-dependent RNA polymerase I from parsley (*Petroselinum crispum*). Influence of nucleoside triphosphates	K. Grossmann, H. Friedrich & U. Seitz	165–171
Membranes		
Ecto-enzymes of mammary gland and its tumours. Ca^{2+}- or Mg^{2+}-stimulated adenosine triphosphatase and its perturbation by concanavalin A	C. A. C. Carraway, F. J. Corrado, IV, D. D. Fogle & K. L. Carraway	45–51
Changes in some cytoplasmic enzymes from red cells fractionated into age groups by centrifugation in Ficoll/Triosil gradients. Comparison of normal humans and patients with Duchenne muscular dystrophy	D. A. Galbraith & D. C. Watts	63–70
Carbohydrates and Complex Carbohydrates		
The relationship between glycosylation and glycoprotein metabolism of mouse neuroblastoma N18 cells	A. G. Milenkovic & T. C. Johnson	21–28
Structural studies on heparan sulphate from human lung fibroblasts. Characterization of oligosaccharides obtained by selective periodate oxidation of D-glucuronic acid residues followed by scission in alkali	I. Sjöberg & L.-Å. Fransson	103–110
Structural analysis of chick-embryo cartilage proteoglycan by selective degradation with chondroitin lyases (chondroitinases) and endo-β-D-galactosidase (keratanase)	Y. Oike, K. Kimata, T. Shinomura, K. Nakazawa & S. Suzuki	193–207
Presence in a plant of a compound similar to the dolichyl diphosphate oligosaccharide of animal tissue	R. J. Staneloni, M. E. Tolmasky, C. Petriella, R. A. Ugalde & L. F. Leloir	257–260
Isolation of a lectin from the pericarp of potato (*Solanum tuberosum*) fruits	D. C. Kilpatrick	273–275
Physical Biochemistry		
Kinetics and mechanism of the interaction between human serum albumin and monomeric haemin	P. A. Adams & M. C. Berman	95–102
General Methods		
A reliable radiochromatographic assay technique for hepatic microsomal 16α-hydroxylase activity towards oestrone 3-sulphate. Comparison between pigmented and non-pigmented mature guinea pigs	C. J. Tsoutsoulis & R. Hobkirk	221–227

Contents of Volume 191, No. 2

Peptide and Protein Structure

New proline-rich proteins in isolated insect Z-discs	G. M. Sainsbury & B. Bullard	333–339
The random character of protein evolution and its effect on the reliability of phylogenetic information deduced from amino acid sequences and compositions	A. Cornish-Bowden	349–354
Effect of ligand binding on the conformation of human plasma vitamin D binding protein (group-specific component)	R. Surarit & J. Svasti	401–410
The purification and characterization of a third storage protein (convicilin) from the seeds of pea (*Pisum sativum* L.)	R. R. D. Croy, J. A. Gatehouse, M. Tyler & D. Boulter	509–516
Immunochemical distinction between two different chains of type IV collagen	J. Risteli, D. Schuppan, R. W. Glanville & R. Timpl	517–522
Study of the 10-nm-filament fraction isolated during the standard microtubule preparation	A. Delacourte, G. Filliatreau, F. Boutteau, G. Biserte & J. Schrevel	543–546
Phosphorylation of rabbit cardiac-muscle troponin I by phosphorylase kinase. The effect of adrenaline	A. J. G. Moir & S. V. Perry	547–554
Human atrial and ventricular myosin light-chain subunits in the adult and during development	K. M. Price, W. A. Littler & P. Cummins	571–580
A comparative study of myosin and its subunits in adult and neonatal-rat hearts and in rat heart cells from young and old cultures	H. A. Ghanbari & R. L. McCarl	627–635
Heterogeneity of proteins resembling high-mobility-group protein HMG-T in trout testes nuclei	E. Brown, G. H. Goodwin, E. L. V. Mayes, J. R. B. Hastings & E. W. Johns	661–664
Isolation of a phenylalanine hydroxylase-stimulating monoclonal antibody by rat-myeloma–rat-spleen-cell fusion	K. H. Choo, J. Myer, R. G. H. Cotton, J. Camakaris & D. M. Danks	665–668

Enzymes and Enzyme Kinetics

Properties of spermatozoal superoxide dismutase and lack of involvement of superoxides in metal-ion-catalysed lipid-peroxidation reactions in semen	M. R. F. Mennella & R. Jones	289–297
Dual nucleotide specificity of bovine glutamate dehydrogenase. The role of negative co-operativity	S. Alex & J. E. Bell	299–304
A comparison of potato and vertebrate lactate dehydrogenases	E. Poerio & D. D. Davies	341–348
Modification of mouse testicular lactate dehydrogenase by pyridoxal 5′-phosphate	K. G. Gould & P. C. Engel	365–371
Resolution of protein disulphide-isomerase and glutathione–insulin transhydrogenase activities by covalent chromatography. Properties of the purified protein disulphide-isomerase	D. A. Hillson & R. B. Freedman	373–388
Bovine liver thiol–protein disulphide oxidoreductases. An alternative method for differential purification and resolution of protein disulphide-isomerase and glutathione–insulin transhydrogenase	D. A. Hillson & R. B. Freedman	389–393
Generation of superoxide anion by the NADH dehydrogenase of bovine heart mitochondria	J. F. Turrens & A. Boveris	421–427
Identification of the subunits of bovine heart mitochondrial NADH dehydrogenase that are exposed to the phospholipid bilayer by photolabelling with 5-iodonaphth-1-yl azide	F. G. P. Earley & C. I. Ragan	429–436

Purification of an NADH–(dichlorophenol-indophenol)oxidoreductase from *Bacillus stearothermophilus*	I. MAINS, D. M. POWER, E. W. THOMAS & J. A. BUSWELL	457–465
Further studies on the substrate specificity and inhibition of the stereospecific CS2 secondary alkylsulphohydrolase of *Comamonas terrigena*	C. H. BARRETT, K. S. DODGSON & G. F. WHITE	467–473
Human cathepsin H	W. N. SCHWARTZ & A. J. BARRETT	487–497
X-ray absorption spectroscopy of xanthine oxidase. The molybdenum centres of the functional and the desulpho forms	J. BORDAS, R. C. BRAY, C. D. GARNER, S. GUTTERIDGE & S. S. HASNAIN	499–508
Active-site modification of native and mutant forms of inosine 5′-monophosphate dehydrogenase from *Escherichia coli* K12	H. J. GILBERT & W. T. DRABBLE	533–541
Purification of glutamate dehydrogenase from ox brain and liver. Evidence that commercially available preparations of the enzyme from ox liver have suffered proteolytic cleavage	A. D. MCCARTHY, J. M. WALKER & K. F. TIPTON	605–611
Isotope effect of peroxidation of deuterium-labelled ethanol by liver catalase	S. E. DAMGAARD	613–618
Some properties of pig kidney-cortex aldehyde reductase	F. F. MORPETH & F. M. DICKINSON	619–626
A neutral endopeptidase in the microvillar membrane of pig intestine. Partial purification and properties	E. M. DANIELSEN, J. P. VYAS & A. J. KENNY	645–648
Inhibition of lysosomal α-mannosidase by swainsonine, an indolizidine alkaloid isolated from *Swainsona canescens*	P. R. DORLING, C. R. HUXTABLE & S. M. COLEGATE	649–651
The interpretation of entropy/enthalpy compensation phenomena in the deacylation of acyl-α-chymotrypsins	P. A. ADAMS	653–655
1,2-Diacylglycerol kinase of human erythrocyte membranes. Assay with endogenously generated substrate	D. ALLAN, P. THOMAS & S. GATT	669–672
Metalloproteins		
Near-infrared magnetic and natural circular dichroism of cytochrome *c* oxidase	D. G. EGLINTON, M. K. JOHNSON, A. J. THOMSON, P. E. GOODING & C. GREENWOOD	319–331
A Mössbauer spectroscopic investigation of the redox behaviour of the molybdenum–iron protein from *Klebsiella pneumoniae* nitrogenase. Mechanistic and structural implications	B. E. SMITH, M. J. O'DONNELL, G. LANG & K. SPARTALIAN	449–455
On the sensitivity of metallothioneins to oxidation during isolation	D. T. MINKEL, K. POULSEN, S. WIELGUS, C. F. SHAW, III & D. H. PETERING	475–485
Nucleotides, Nucleic Acids and Nucleoproteins		
The *Eco*RI restriction endonuclease with bacteriophage λ DNA. Kinetic studies	S. E. HALFORD, N. P. JOHNSON & J. GRINSTED	581–592
The *Eco*RI restriction endonuclease with bacteriophage λ DNA. Equilibrium binding studies	S. E. HALFORD & N. P. JOHNSON	593–604
Lipids		
The presence of lysophosphatidylcholine in chromaffin granules	G. ARTHUR & A. SHELTAWY	523–532
Complex lipids of a lipolytic and general-fatty-acid-requiring *Butyrivibrio* sp. isolated from the ovine rumen	G. P. HAZLEWOOD, N. G. CLARKE & R. M. C. DAWSON	555–560
Structure of diabolic acid-containing phospholipids isolated from *Butyrivibrio* sp.	N. G. CLARKE, G. P. HAZLEWOOD & R. M. C. DAWSON	561–569
Stereospecific distribution of palmitic acid in the triacylglycerols of rat adipocytes. Effects of varying the composition of the substrate fatty acid *in vitro*	W. W. CHRISTIE & M. L. HUNTER	637–643

Carbohydrates and Complex Carbohydrates

The teichuronic acid from the walls of *Bacillus licheniformis* A.T.C.C. 9945 — M. R. LIFELY, E. TARELLI & J. BADDILEY — 305–318

The acid lability of the glycosidic bonds of L-iduronic acid residues in glycosaminoglycans — H. E. CONRAD — 355–363

Antigenic determinants of a plant proteoglycan, the *Gladiolus* style arabinogalactan-protein — P. A. GLEESON & A. E. CLARKE — 437–447

Physical Biochemistry

Fluorescence-polarization studies on binding of 4-methylumbelliferyl β-D-galactopyranoside to *Ricinus communis* (castor-bean) agglutinin — M. I. KHAN, M. K. MATHEW, P. BALARAM & A. SUROLIA — 395–400

Magnetization curves of haemoproteins measured by low-temperature magnetic-circular-dichroism spectroscopy — A. J. THOMSON & M. K. JOHNSON — 411–420

The photoinduced isomerization of bilirubin in cationic detergent solutions — Y. N. AU & D. W. HUTCHINSON — 657–659

Contents of Volume 191, No. 3

Peptide and Protein Structure

Nearest-neighbour analysis of myoglobin antigenic sites. Nearest-neighbour residues whose replacement can alter the environment of binding-site residue(s) and thus change their characteristics and binding capability — A. L. KAZIM & M. Z. ATASSI — 673–680

The antibody response to myoglobin is independent of the immunized species. Analysis in terms of replacements in the antigenic sites and in environmental residues of the cross-reaction of fifteen myoglobins with sperm-whale myoglobin antisera raised in different species — S. S. TWINING, H. LEHMANN & M. Z. ATASSI — 681–697

Immunochemical characterization of human plasma fibronectin — M. VUENTO, E. SALONEN, K. SALMINEN, M. PASANEN & U.-H. STENMAN — 719–727

Partial purification and characterization of oestrogen receptors in subfractions of hepatocyte plasma membranes — R. J. PIETRAS & C. M. SZEGO — 743–760

Isolation and characterization of a myeloma–spleen-cell hybrid producing antibody to phenylalanine hydroxylase — R. G. H. COTTON, I. G. JENNINGS, K. H. CHOO & K. FOWLER — 777–783

Studies on human pregnancy-associated plasma protein A. Purification by affinity chromatography and structural comparison with α_2-macroglobulin — R. G. SUTCLIFFE, B. M. KUKULSKA-LANGLANDS, J. R. COGGINS, J. B. HUNTER & C. H. GORE — 799–809

Sequence of residues 400–403 of bovine serum albumin — R. G. REED, F. W. PUTNAM & T. PETERS, JR. — 867–868

Albumin obscures sex differences in blood protein patterns of rats and humans — D. M. GERSTEN, B. S. KHIRABADI, P. KURIAN, R. S. LEDLEY, T. MAHANY, E. R. RAMEY & P. W. RAMWELL — 869–872

Enzymes and Enzyme Kinetics

Procollagen type III *N*-terminal endopeptidase in fibroblast culture — B. V. NUSGENS, Y. GOEBELS, H. SHINKAI & C. M. LAPIÈRE — 699–706

Evidence for a two-state transition in papain that may have no close analogue in ficin. Differences in the disposition of cationic sites and hydrophobic binding areas in the active centres of papain and ficin — K. BROCKLEHURST & J. P. G. MALTHOUSE — 707–718

Chloroacetone as an active-site-directed inhibitor of the aliphatic amidase from *Pseudomonas aeruginosa* — M. R. HOLLAWAY, P. H. CLARKE & T. TICHO — 811–826

Isolation of β-*N*-acetylhexosaminidase from rabbit semen and its role in fertilization	A. A. Farooqui & P. N. Srivastava	827–834
Interaction of dinitrophenyl-pepstatins with human cathepsin D and with anti-dinitrophenyl antibody. Development of potential reagents for the localization *in vivo* of active proteinases at sites of tissue injury	C. G. Knight, W. Hornebeck, I. T. W. Matthews, R. M. Hembry & J. T. Dingle	835–843
Light-mediated activation of stromal sedoheptulose bisphosphatase	I. E. Woodrow & D. A. Walker	845–849
Phosphorylase kinase phosphorylation of skeletal-muscle troponin T	V. V. Risnik, A. B. Dobrovolskii, N. B. Gusev & S. E. Severin	851–854
The adaptability, purification and properties of exo-β1,3-glucanase from the fungus *Trichoderma reesei*	C. W. Bamforth	863–866
Protein disulphide-isomerase activity in chick-embryo tissues. Correlation with the biosynthesis of procollagen	B. E. Brockway, S. J. Forster & R. B. Freedman	873–876
Nucleotides, Nucleic Acids and Nucleoproteins		
Binding of quinoline analogues of echinomycin to deoxyribonucleic acid. Role of the chromophores	K. R. Fox, D. Gauvreau, D. C. Goodwin & M. J. Waring	729–742
Methylation of nuclear DNA in *Physarum polycephalum*	P. A. Whittaker & N. Hardman	859–862
Lipids		
Fatty acid elongation by a particulate fraction from germinating pea	B. R. Jordan & J. L. Harwood	791–797
Membranes		
Use of fluorescent probes in the study of phospholipid - sterol – bilayers	S. A. Wharton, S. S. G. De Martinez & C. Green	785–790
Physical Biochemistry		
Characterization of collagenous meshworks by volume exclusion of dextrans	J. L. Bert, R. H. Pearce, J. M. Mathieson & S. J. Warner	761–768
The multiple complexes formed by the interaction of platelet factor 4 with heparin	P. E. Bock, M. Luscombe, S. E. Marshall, D. S. Pepper & J. J. Holbrook	769–776
General Methods		
Immobilization of DNA for affinity chromatography and drug-binding studies	A. J. MacDougall, J. R. Brown & T. W. Plumbridge	855–858

INDEXES

Author Index 877–878

Subject Index 879–894

Contents

827–834

835–843

845–849

851–854

863–866

873–876

729–742

859–862

791–797

785–794

761–768

769–776

855–858

877–878

879–894